



GEOTECHNICAL INSTRUMENT RECORDER AND DATA ANALYSIS CATALOGUE



CRYPICODE GLOBAL TEKNOLOGI



+62 2220 467 461
+62 811 990 3090



info@crypicode.com




www.crypicode.com



LARGE SCALE DIRECT SHEAR DATA RECORDER **LSDS V.3**

LSDS V.3 merupakan sistem pengambilan data serta analisis pada pengujian geser langsung contoh tanah serta batuan pada timbunan khusus nya di timbunan bendungan maupun timbunan tambang.



SPESIFICATION

- Model C22DR03
- AC Input 220 v
- Dimension (mm) 265 x 225 x 125
- Connection GX16 (8)
- Pressure Range 0-600 Bar

SYSTEM FEATURES



LSDS SOFTWARE V 3.2



BUILD IN LIVE DATA TABLE
AND GRAPH



USB INTERFACE FOR
COMPUTER CONTROL



REPORT EXPORT TO PDF
AND XLS FORMAT



AVAILABLE FOR CLOUD
DATA SAVING



+62 2220 467 461
+62 811 990 3090



info@crypicode.com




www.crypicode.com



DIRECT SHEAR DATA RECORDER **SIRS V.2**

SIRS V.2 merupakan sistem pengambilan data serta analisis pada pengujian geser langsung contoh tanah .



SPESIFICATION

- Model C21DR01
- AC Input 220 v
- Dimension (mm) 1465 x 325 x 1125
- Connection GX16 (8)
- Load Cell Range 0-10 kN

SYSTEM FEATURES



SIRS SOFTWARE V 2.2



BUILD IN LIVE DATA TABLE
AND GRAPH



USB INTERFACE FOR
COMPUTER CONTROL



REPORT EXPORT TO PDF
AND XLS FORMAT



AVAILABLE FOR CLOUD
DATA SAVING



+62 2220 467 461
+62 811 990 3090



info@crypicode.com



www.crypicode.com



OEDOMETER DATA RECORDER **ODR A.6**

ODR A.6 merupakan sistem pengambilan data serta analisis data pada pengujian konsolidasi contoh tanah .



SPESIFICATION

- Model C22DRA6
- AC Input 220 v
- Dimension (mm) 250 x 120 x 225
- Connection GX16 (8)
- Channel Available 6 channel\odr box

SYSTEM FEATURES



ODR SOFTWARE V 3.0



BUILD IN LIVE DATA TABLE
AND GRAPH



USB INTERFACE FOR
COMPUTER CONTROL



REPORT EXPORT TO PDF
AND XLS FORMAT



AVAILABLE FOR CLOUD
DATA SAVING



+62 2220 467 461
+62 811 990 3090



info@crypicode.com





www.crypicode.com



UCS TEST RECORDER AND
ANALYSIS

UCS TERA V.2

UCS TERA V.2 merupakan sistem pengambilan data serta analisis data pada pengujian tekan bebas contoh tanah.



SPEKIFICATION

- Model C21TR01
- AC Input 220 v
- Dimension (mm) 510 x 498 x 1125
- Connection GX16 (8)
- Load Cell Range 0 – 10 kN

SYSTEM FEATURES



UCS SOFTWARE V 2.0



BUILD IN LIVE DATA TABLE
AND GRAPH



USB INTERFACE FOR
COMPUTER CONTROL



REPORT EXPORT TO PDF
AND XLS FORMAT



AVAILABLE FOR CLOUD
DATA SAVING



+62 2220 467 461
+62 811 990 3090



info@crypicode.com




www.crypicode.com



TRIAXIAL TEST RECORDER
AND ANALYSIS

TRIAXIAL TERA V.2

TRIAXIAL TERA V.2 merupakan sistem pengambilan data serta analisis data pada pengujian triaxial contoh tanah.



SPEKIFIKASI

- Model C22TR02
- AC Input 220 v
- Dimension (mm)
 - Load Frame 510 x 498 x 1125
 - Panel Pressure 495 x 228 x 483
 - TeraBox 455 x 228 x 53
- Connection GX16 (8)

SYSTEM FEATURES



TRIAXIAL SOFTWARE V 2.0



BUILD IN LIVE DATA TABLE
AND GRAPH



USB INTERFACE FOR
COMPUTER CONTROL



REPORT EXPORT TO PDF
AND XLS FORMAT



AVAILABLE FOR CLOUD
DATA SAVING



+62 2220 467 461
+62 811 990 3090



info@crypicode.com



www.crypicode.com